



ఆంధ్రప్రదేశ్ రాజ పత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

W.No.12

AMARAVATI, TUESDAY, MARCH 26, 2019

G.865

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS
AND OTHER OFFICERS**

--X--

NOTIFICATIONS BY GOVERNMENT
ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY
DEPARTMENT
(FOREST.I)

SRI POTTI SRI RAMULU NELLORE DISTRICT & DIVISION - ATMAKUR RANGE -
RAVIPADU VILLAGE - VINAJAMoor MANDAL - RESERVATION OF VINJAMUR
NORTH EXTN FOREST BLOCK - COMPENSATORY AFFORESTATION LAND
TO AN EXTENT OF 719.56 Ac OR 291.18 Ha,- NOTIFICATION UNDER SECTION
4 OF THE ANDHRA PRADESH FOREST ACT, 1967 AS VINJAMUR NORTH
EXTN FOREST BLOCK.

**[G.O.Ms.No. 59, Environment, Forests, Science & Technology (Forest.I),
25th February, 2014.]**

NOTIFICATION

In exercise of the powers, conferred by Section 4 of the Andhra Pradesh Forest Act, 1967 (Act-I of 1967), the Governor of Andhra Pradesh, hereby declares that, it is proposed to constitute the land with in the boundaries specified in the Schedule below, as Reserved Forest under the said Act, and appoints the Forest Settlement Officer, SPSR Nellore to be the Forest Settlement Officer in regard to the said land to consider the objections, if any, and to enquire into and determine the existence, nature and extent of any rights claimed by an alleged to exist in favour of any person in or over any land comprised within such limits, or to any Forest produce of such land and to deal with the same as provided in Chapter-II of the said Act.

SCHEDULE

Name of the District	:	SPSR Nellore
Name of the Division	:	SPSR Nellore
Name of the Revenue Mandal	:	Vinjamoor
Name of the Range	:	Atmakur
Name of the Village	:	Ravipadu
Name of the Forest Block proposed to be Reserved	:	Vinjamur North Extn.
Area of the Forest Block proposed to be Reserved	:	719.56 Acres or 291.18 Ha.

DETAILS OF AREAS INCLUDED IN THE PROPOSED RESERVED FOREST BLOCK

Village	Survey No.	Present Classification	Total Area in Acrs	Area included in Forest Block(Acres)
Ravipadu	436	Tippa Poramboke	719.56	719.56

BOUNDARIES

NORTH: Starting from a bijunction point on the common boundary of Kotepalli and Ravipadu villages, and the line runs along the common boundary as per the following bearings and distances.

Station No.		Magnetic Bearings		Distance in Links	Remarks
From	To	Degrees	Minutes		
1	2	88	--	325	Along the common boundary of Kotepalli and Ravipadu Village
2	3	63	--	875	
3	4	88	30	440	
4	5	89	--	750	
5	6	13	--	440	

6	7	84	--	1050	Along the common boundary of Kotepalli and Ravipadu Villages
7	8	85	--	690	
8	9	86	--	690	
9	10	89	--	815	
10	11	103	--	875	
11	12	110	--	938	
12	13	76	--	750	
13	14	185	--	440	
14	15	110	--	1065	
EAST					
15	16	279	--	1650	
16	17	179	--	400	
17	18	195	--	580	Along the boundary of Sy.No. 443
18	19	175	--	1300	
19	20	141	--	700	Along the boundary of Sy.No,442
20	21	115	--	350	Along the boundary of Sy. No. 441
21	22	145	--	1210	Along the boundary of Sy. No. 438
22	23	160	--	1200	Along the boundary of Sy. No. 437
23	24	179	--	220	Along the boundary of Sy. No. 463
24	25	169	--	1100	Along the boundary of Sy. No. 464

25	26	144	--	895	Along the boundary of Sy. No. 466 and 467
26	27	106	--	400	
27	28	147	--	300	
28	29	149	--	250	
29	30	87	--	100	
30	31	177	--	300	
31	32	185	--	1100	Along the boundary of Sy. No. 468
32	33	157	--	200	
33	34	82	--	650	
34	35	202	--	100	
35	36	163	--	900	Along the boundary of Sy. No. 470
36	37	189	--	590	
37	38	158	--	800	
38	39	99	--	210	
39	40	199	--	900	Station No. 39 is a bijunction point and Station No. 40 is a trijunction point.
SOUTH					
40	41	244	--	1110	Along the common boundary of Vinjamur and Ravipadu villages.
41	42	258	30	700	
42	43	241	--	1380	
43	44	11	30	200	
44	45	367	30	550	
45	46	274	--	1110	
46	47	283	--	890	

WEST					
47	48	360	--	90	
48	49	8	30	495	
49	50	309	--	290	
50	51	284	--	175	
51	52	336	--	400	Along the boundary of Sy. No. 491
52	53	11	30	420	
53	54	5	30	500	
54	55	215	--	900	
55	56	12	--	930	
56	57	97	--	995	
57	58	335	--	1495	
58	59	27	--	1670	
59	60	345	--	1195	Along the boundary of Sy. No. 435
60	61	249	--	1245	
61	62	354	--	550	Along the boundary of Sy. No. 433
62	63	257	30	595	
63	64	32	30	600	
64	65	249	30	395	
65	66	346	--	790	
66	67	252	30	310	
67	68	10	--	375	Along the boundary of Sy. No. 473
68	69	328	--	550	
69	70	268	--	355	
70	71	14	--	420	Along the boundary of Sy. No. 474, 472, 471 & 420
71	72	358	30	500	
72	73	299	--	1465	
73	74	354	--	1085	Along the boundary of Sy. No. 422
74	75	292	--	590	
75	1	299	--	300	Along the boundary of Sy. No. 427

REMARKS

- 1) There are no enclosures to be admitted within the block.
- 2) The following two cart tracks are passing through the block are admitted as right of way for the public to an average width of 40 links.
 - i) Existing cart track leading from Chinnannalur to Kotepalli. It enters the block in between stations 18 and 19 at a distance of 8 chains from station 18 and passes through the block in westerly direction for a length of 67 chains, leaves the block in between stations 2 and 3, at a distance of about 3 chains from station no.3
 - ii) Existing cart track leading from Chinnannalur to Ravipadu. It enters the block in between stations 24 and 25 at a distance of 5 chains from station 3 and after passing through the block in westerly direction for a length of about 34 chains, leaves into the fields between stations 59 and 60, at a distance of 3½ chains from station 59. It re-enters the block in between stations 60 and 61, at a distance of 3 chains from station 61, passes through the block in westerly direction for a length of about 4 chains, leaves the block between stations 61 and 62, at a distance of 3 chains from station 61 and touching stations 63 and 65, leaves to Ravipadu.

M. SAMUEL,

Special Chief Secretary to Government.

ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ శాఖవారి అటవీ చట్టము 1967 సెక్షను 4 ప్రకారము (చట్టం 1967), ఆంధ్రప్రదేశ్ గవర్నరు గారి అధికారములకు లోబడి సెక్షను 4 ప్రకారము రిజర్వు ఫారెస్టుగా పరిగణించబడుటకు గాను అధ్యాయము-2లో పొందుపరచిన సూచనల మేరకు ఈ అటవీ భూమి యొక్క విస్తీర్ణము, అటవీ స్వభావము మరియు ఈ అటవీ భూమి సరిహద్దు చుట్టూగల గ్రామ ప్రజల వద్ద నుండి భూఆక్రమణలకు సంబంధించి ఏమైనా ఆక్షేపణలు ఉన్నయెడల వాటిని పరిశీలించుటకు, అట్టి పరిధిలోపల ఉన్న ఏమైనా హక్కుల యొక్క అస్తిత్వాన్ని, స్వభావాన్ని విస్తృతిని గురించి విచారించి మరియు పరిష్కరించుటకు గాను శ్రీపాట్టిశ్రీరాములు నెల్లూరు జిల్లా ఫారెస్టు సెటిల్మెంట్ ఆఫీసరు గారిని నియమించడమైనది.

షెడ్యూలు

- 1) జిల్లా పేరు : శ్రీపాట్టిశ్రీరాములు నెల్లూరు
- 2) అటవీ డివిజను పేరు : శ్రీపాట్టిశ్రీరాములు నెల్లూరు
- 3) రేంజి పేరు : ఆత్మకూరు
- 4) మండలము పేరు : వింజమూరు
- 5) గ్రామం పేరు : రావిపాడు
- 6) రిజర్వు చేయబడు అటవీ భాగానికి పేరు : వింజమూరు నార్త్ ఎక్స్టెన్షన్ షన్ ఆర్.యఫ్.
- 7) రిజర్వు చేయబడు అటవీ భాగానికి విస్తీర్ణం : 719.56 ఎ (లేదా) 291.18 హె

భాగానికి నందు పొందుపరచబడిన ప్రదేశముల వివరములు

గ్రామము	సర్వే నెం.	ప్రస్తుత వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	భాగానికి నందు పొందుపరచబడిన విస్తీర్ణం (ఎకరాలలో)
రావిపాడు	436	తిప్ప పొరంబోకు	719.56	719.56

సరిహద్దులు

స్టేషన్ నెం. (1) కొటిపల్లి రావిపాడు గ్రామముల బైజెంక్షన్ పాయింటు నుండి మొదలై ఉమ్మడి సరిహద్దుల వెంబడి క్రింది బేరింగులు మరియు దూరముల ననుసరించి పోవును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు		దూరము లంకులలో	రిమార్కులు
నుండి	వరకు	డిగ్రీలు	నిమిషాలు		
1	2	3	4	5	6
ఉత్తరం					
1	2	88	...	325	కొటిపల్లి మరియు రావిపాడు గ్రామముల ఉమ్మడి సరిహద్దు వెంబడి.
2	3	63	...	875	
3	4	88	30	440	
4	5	89	...	750	
5	6	13	...	440	
6	7	84	...	1050	
7	8	85	...	690	
8	9	86	...	690	
9	10	89	...	815	
10	11	103	...	875	
11	12	110	...	938	
12	13	76	...	750	
13	14	185	...	440	
14	15	110	...	1065	
తూర్పు					
15	16	279	...	1650	
16	17	179	...	400	
17	18	195	...	580	సర్వే నెం. 443 వెంబడి
18	19	175	...	1300	
19	20	141	...	700	సర్వే నెం. 442 వెంబడి
20	21	115	...	350	సర్వే నెం. 441 వెంబడి
21	22	145	...	1210	సర్వే నెం. 438 వెంబడి
22	23	160	...	1200	సర్వే నెం. 437 వెంబడి
23	24	179	...	220	సర్వే నెం. 463 వెంబడి

24	25	169	...	1100	సర్వే నెం. 464 వెంబడి
25	26	144	...	895	సర్వే నెం. 466 మరియు 467 వెంబడి
26	27	106	...	400	
27	28	147	...	300	
28	29	149	...	250	
29	30	87	...	100	
30	31	177	...	300	
31	32	185	...	1100	సర్వే నెం. 468 వెంబడి
32	33	157	...	200	
33	34	82	...	650	
34	35	202	...	100	సర్వే నెం. 470 వెంబడి
35	36	163	...	900	
36	37	189	...	590	
37	38	158	...	800	
38	39	99	...	210	
39	40	199	...	900	స్టేషన్ నెం. 39 బైబింగ్ పాయింట్ మరియు స్టేషన్ నెం. 40 బైబింగ్ పాయింట్
దక్షిణం					
40	41	244	...	1110	వింజమూరు రావిపాడు గ్రామముల ఉమ్మడి సరిహద్దు వెంబడి
41	42	258	30	700	
42	43	241	...	1380	
43	44	11	30	200	
44	45	367	30	550	
45	46	274	...	1110	
46	47	283	...	890	
పడమర					
47	48	360	...	90	
48	49	8	30	495	
49	50	309	...	290	
50	51	284	...	175	
51	52	336	...	400	సర్వే నెం. 491 వెంబడి
52	53	11	30	420	
53	54	5	30	500	
54	55	215	...	900	
55	56	12	...	930	

56	57	97	...	995	
57	58	335		1495	
58	59	27		1670	
59	60	345		1195	సర్వే నెం. 435 వెంబడి
60	61	249		1245	
61	62	354		550	సర్వే నెం. 433 వెంబడి
62	63	257	30	595	
63	64	32	30	600	
64	65	249	30	395	
65	66	646		790	
66	67	252	30	310	
67	68	10		375	సర్వే నెం. 473 వెంబడి
68	69	328		550	
69	70	268		355	
70	71	14		420	సర్వే నెం. 474, 472, 471
71	72	358	30	500	మరియు 420 వెంబడి
72	73	299		1465	
73	74	304		1065	సర్వే నెం. 422 వెంబడి
74	75	292		590	
75	1	299		300	సర్వే నెం. 427 వెంబడి

రిమార్కులు:

అనుమతించబడిన రైట్ ఆఫ్ వే / రైట్ ఆఫ్ వాటర్ కోర్సులు:

- 1) ఈ బ్లాకు నందు ఎలాంటి ఎన్క్లోజర్స్ అనుమతించలేదు.
 - 2) ఈ బ్లాకు నందు 40 లింకుల వెడల్పుతో పోపుచున్న ఈ క్రింద తెలియపర్చిన 2 బండ్ల బొటలను ప్రజాపయోగ నిమిత్తము అనుమతించడమైనది.
 - అ) ఈ బ్లాకు నందు చిన్నన్నలూరు నుండి కోటపల్లికి పోపుచున్న బండ్లబొట స్టేషన్ నెం. 18 మరియు 19ల మధ్య స్టేషన్ నెం. 18కి 3 చైన్ల దూరంలో ప్రవేశించి సుమారు 67 చైన్ల పొడవుతో పశ్చిమ దిశగా పోపుచూ 3వ స్టేషన్ కు 3 చైన్ల దూరంలో 2 మరియు 3 స్టేషన్ల మధ్య ఈ బ్లాకును వీడి బయటకు పోపుచున్నది.
 - ఆ) ఈ బ్లాకు నందు చిన్నన్నలూరు నుండి రావిపాడుకు పోపుచున్న బండ్లబొట స్టేషన్ నెం. 3కి సుమారు 5 చైన్ల దూరంలో స్టేషన్ నెం. 24 మరియు 25 ల మధ్య ప్రవేశించిన తదుపరి సుమారు 34 చైన్ల పొడవుతో పశ్చిమ దిక్కుగా పోపుచూ స్టేషన్ నెం. 59 మరియు 60ల మధ్య స్టేషన్ నెం. 59 నుండి సుమారు 3 1/2 చైన్ల దూరములో ఈ బ్లాకును వీడి పొలాలలోనికి పోపుచున్నది.
- తదుపరి 61వ స్టేషన్ కు 3 చైన్ల దూరములో స్టేషన్ నెం. 60 మరియు 61ల మధ్య పునఃప్రవేశించి సుమారు 4 చైన్ల పొడవుతో పశ్చిమ దిక్కుగా పోపుచూ 61వ స్టేషన్ నుండి 3 చైన్ల దూరములో స్టేషన్ నెం. 61 మరియు 62ల మధ్య ఈ బ్లాకును వీడి స్టేషన్ నెం. 63 మరియు 65లను తాకుచూ రావిపాడుకు పోపుచున్నది.

ఎం. శామ్మూల్,

ప్రభుత్వ ప్రత్యేక ప్రధాన కార్యదర్శి.